

We Design & Manufacture

Veterinary Equipment







About

At Dispomed we are proud to design and manufacture quality veterinary equipment and supplies, such as Moduflex™ anesthesia machines, Highdent™ dental units, Vet-tables range of products and Tobyguard kennel doors. With its reputation of high quality products, Dispomed is proud to offer a 5 year warranty on the Moduflex™, Highdent™, Vet-tables and Tobyguard brands. Dispomed's products are used in over 35 countries around the world.

Mission

At Dispomed, our mission is to develop, manufacture and market veterinary equipment of superior quality, to continuously improve these products and supply after-sales service of equal quality.

Technical support

Our in-house technical support specialists are ready to answer any questions you may have about our products. They are also trained in advanced troubleshooting techniques and can help you solve problems and find solutions with our free technical help service by telephone, email or video conference.

Factory certified technicians

Factory certified technicians are available, by appointment, for service calls directly at your facility for regular maintenance and for emergencies.

Contact

Dispomed Ltd.
745 Nazaire-Laurin
Joliette (Qc) Canada J6E 0L6

T: 1 (450) 759-9395
F: 1 (450) 759-8181
info@dispomed.com

Website and social media

www.dispomed.com/en/
www.facebook.com/dispomed
twitter.com/dispomed

We manufacture the best products for your needs!

MODUFlex™

In conjunction with veterinarians from private practices, anesthetists, professors and other specialists, **Dispomed has developed Moduflex anesthesia machines** that are effective, safe, easy to use and meet the needs of modern veterinarian practices. **Moduflex anesthesia machines have been in use for over 30 years.**



Highdent is, without a doubt, the most revolutionary veterinary dental brand on the market today. It is the **first brand to include protection against percutaneous injuries** to users. Extensive testing is done on each machine to ensure that it respects Dispomed's high standards. The Highdent dental unit will **allow veterinarians to improve their dentistry practice.**



Vet-tables are a line of **high quality surgery and exam tables** designed to offer superior stability and ergonomics. Noise-free, the Vet-tables are adjustable to the veterinarian's height preference with **multiple configurations to meet your needs.**



The **Tobyguard kennel doors** are hand-welded and polished with the best stainless steel quality that reflects the 5 year warranty of our product. The **customized sizes** are perfect for new clinics and for renovations with restricted dimensions. Whether it is for a small or a big project, the **Tobyguard kennel doors will offer you quality that will last a lifetime!**

Moduflex™, Highdent™ and Dispomed™ are trademark of Dispomed Ltd



Moduflex Optimax

The Moduflex Optimax veterinary anesthesia machine is a work station that combines ingenuity, sophistication and practical common sense.

The Moduflex Optimax anesthesia machine is very popular in clinics and emergency centers with specific needs for their anesthesia machine. Up to 3 flowmeters and/or 3 e-tank holders can be mounted on the Optimax. The Moduflex Optimax anesthesia machine provides lots of storage space with 2 drawers, a top shelf and a stainless steel counter. You also have the possibility of adding 2 vaporizers with Interlock compatibility system.

MODUFlex


Standard absorber: # 975-0150-000

Coaxial absorber: # 975-0155-000

Warranty: 5 years

MRI Compatible (optional)

 **MANUFACTURED BY DISPOMED**



5 YEAR
WARRANTY

Optimax with support accessories for laptop and for a ventilator.



Moduflex Optimax for Swine

This Optimax is specially built for surgery on swine.

Due to the important level of humidity when doing a procedure on swine, we have installed a deeper canister base giving you more space for water condensation without blocking the circuit. A double canister has been added to this veterinary machine to give you more time performing a procedure without compromising the animal health.

MODUFlex™

Product: # 975-0160-000

Warranty: 5 years

MRI Compatible (optional)

 **MANUFACTURED BY DISPOMED**





Wall-mount Moduflex Optimax

When space and reliability are your most important concerns, the wall-mount Moduflex Optimax is the logical choice.

 **MANUFACTURED BY DISPOMED**

MODUFlex™

Without absorber: # 975-0400-000

CO₂ absorber: # 975-0410-000

Coaxial absorber: # 975-0420-000

 **MRI Compatible (optional)**

Optional Colours




0.1 to 4 lpm flowmeter with rotary float and large scale for easy readability.

Up to three flowmeters can be installed.
(O₂ - AIR - N₂O - CO₂ - etc.)

SELECTATEC™ compatibility manifold for easy and quick installation of two vaporizers with interlock compatibility.

Recessed flush valve to prevent accidental activation.

Quick-connect fresh gas outlet for easy and secure switches between breathing circuits.



5 YEAR
WARRANTY

Circuit and line pressure gauges.


Momentary closed feature incorporated into our pop-off valve.

Circuit and line pressure gauges.

Vaporizer interlock compatibility.



With optional coaxial absorber



With optional standard absorber, Bain and vaporizers

Condensation trap to prevent water build-up in soda lime.



Moduflex Coaxial

The **Moduflex Coaxial veterinary anesthesia machine** is the most popular of the Moduflex line of **anesthesia machines**. The integrated coaxial circuit allows you to pre-heat the gas inhaled by the patient. This particularity of the Moduflex Coaxial anesthesia machine avoids any possibility of hypothermia. Due to its very stable base, it is possible to securely move the machine.


MODUFlex

Product: # 975-0310-000

Warranty: 5 years

MRI Compatible (optional)

 **MANUFACTURED BY DISPOMED**





Moduflex Elite

This veterinary anesthesia machine is for rebreathing and small animal applications. Its compact size and base shape, combined with its large castors, provide excellent mobility and stability.

 **MANUFACTURED BY DISPOMED**

MIDU Flex

Product: # 975-0510-000

Warranty: 5 years

 **Compatible (optional)**





Moduflex Compact

The **Moduflex Compact veterinary anesthesia machine** is a perfectly reliable machine with a small footprint. The flush valve on the Moduflex Compact veterinary anesthesia machine is recessed, therefore preventing accidental activation.

MODUFlex™**Product:** # 975-0700-000**Warranty:** 5 years**MRI** Compatible (optional)

🇨🇦 **MANUFACTURED BY DISPOMED**

Momentary closed feature incorporated into our pop-off valve.

1500 ml CO₂ absorber designed for easy and fast replenishing of soda lime. Condensation trap to prevent water build-up in soda lime. Easy and efficient gas sealing.

Quick-connect fresh gas outlet for easy and secure switching between breathing circuits.

SELECTATEC™ compatibility manifold for easy and quick installation of vaporizer.

0.1 to 4 lpm flowmeter with rotary float and large scale for easy readability.

Recessed flush valve to prevent accidental activation.

5YEAR
WARRANTY

Inspiration and
exhalation

domes are positioned
so that you can easily
observe them during
procedures.



Moduflex Compact with shelf kit



Moduflex Access2

We have designed a high quality, ingenious, **NEW** veterinary anesthesia machine that has both small dimensions and a small price.

🇨🇦 **MANUFACTURED BY DISPOMED**

MIDU Flex

Mobile: # 975-0650-000

Wall-mount: # 975-0655-000

Shelf assembly: # 975-0650-020

Warranty: 5 years

MRI Compatible (optional)

Both the anesthesia machine head and the absorber head are precision machined to reduce the amount of connections which greatly reduces the risk of leaks.

Cage-mount compatibility manifold for easy and quick installation of vaporizer.

0.1 to 4 lpm flowmeter with rotary float and large scale for easy readability.

Recessed flush valve to prevent accidental activation.

Standard 1500 ml CO₂ absorber designed for easy and fast replenishing of soda lime. Condensation trap to prevent water build-up in soda lime.

5 YEAR
WARRANTY

The precision float flowmeter

allows for accurate administration of oxygen during the procedure. This type of flowmeter ensures an easier read and more accurate oxygen supply compared to the standard ball flowmeter. The rotation of the float gives a quick indication of the actual flow and shows that the float is not stuck in position.



Moduflex Access2
with accessories.



Moduflex NRB

The **Moduflex NRB veterinary anesthesia machine** is for **non-rebreathing, research and lab animal applications**. In order to answer the needs of veterinarians working with very small animals, research centers working with rodents, or those who will only use an open circuit (Bain), Dispomed has developed the Compact NRB.

MODUFlex™


Mobile: # 975-0830-000

Wall-mount: # 975-0853-000

Warranty: 5 years

🇨🇦 **MANUFACTURED BY DISPOMED**

MRI Compatible (optional)



NRB Wall-mount: # 975-0853-000

*Bain and vaporizer are not included.



Moduflex Compact – Field Service Anesthesia Machine


MIDUFlex

This veterinary anesthesia machine is for rebreathing and small animal applications.

The Moduflex Compact for field service is the perfect unit to bring everywhere. The anesthesia machine is assembled in a hard carrying case with wheels.

Product: # 975-0775-000**Warranty:** 5 years

🇨🇦 **MANUFACTURED BY DISPOMED**

MRI Compatible (optional)

5YEAR
WARRANTY

Carrying case on wheels.





Moduflex Labvet

This veterinary anesthesia machine is for non-rebreathing, research and lab animal applications. It has been specially designed for research centers and laboratories. This is Dispomed's most compact model.

MIDU Flex™

Product: # 975-3300-000

Warranty: 5 years

 **MANUFACTURED BY DISPOMED**

 **Compatible** (optional)





Wall-mount Moduflex Access2

Dispomed is proud to present its latest innovation in veterinary anesthesia: the wall-mount Moduflex Access2. We have designed a high quality, ingenious veterinary anesthesia machine that has both small dimensions and a small price.

- 0.1 to 4 LPM O₂ flowmeter (up to 2 flowmeters can be installed).
- Rotary float and large scale for easy readability.
- Recessed flush valve to prevent accidental activation.
- Both the anesthesia machine head and the absorber head are precision machined to reduce the amount of connections which greatly reduces the risk of leaks.
- Quick-connect fresh gas outlet for easy and secure switching between breathing circuits.
- Cage-mount compatibility manifold for easy and quick installation of vaporizer.
- 1500 ml CO₂ absorber designed for easy and fast replenishing of sodalime. Condensation trap to prevent water build-up in sodalime. Easy and efficient gas sealing.

MODUFlex[™]

Product: #975-0655-000

 **MANUFACTURED BY DISPOMED**

MRI Compatible (optional)

5YEAR
WARRANTY



Wall-mount Moduflex Compact

For rebreathing and small animal applications.

- 0.1 to 4 lpm oxygen flowmeter with rotary float.
- Recessed flush valve to prevent accidental activation.
- Quick-connect fresh gas outlet.
- SELECTATEC[™] compatibility manifold for easy and quick installation of one vaporizer.
- 1500 ml CO₂ absorber designed for easy and fast replenishing of sodalime, condensation trap to prevent water build-up in sodalime. Easy and efficient gas sealing.
- Momentary closed feature incorporated into our pop-off valve.
- Moduflex Compact illustrated. Circuit alarm, bain adaptor and vaporizer are optional.

MODUFlex[™]

Product: # 975-0750-000

 **MANUFACTURED BY DISPOMED**

MRI Compatible (optional)

5YEAR
WARRANTY



Small Cylinder Holder

The cylinder holder can be helpful in many situations. It can be very useful when there is a lack of oxygen in the central system. In the occasional case where you need to move an anesthetized animal to a room where there are no oxygen outlets, the cylinder holder enables you to keep the patient in an ideal condition.

Economically speaking, we suggest using this system only when there are no other options for main oxygen source as the small cylinders used with the cylinder holders are about seven times more expensive per liter to fill than the large cylinders.

This anesthesia machine accessory is, in many countries, mandatory to a legal practice! When purchasing cylinder holders or regulators, always make sure they are **made of brass** in order to reduce fire hazards.

Oxygen Cylinder and Holder Safety Warning

Dispomed would like to remind you of the hazards of oxygen in order to protect the personnel of your clinic.

It is important to understand the possible cause of explosion and fire. The friction between aluminium and oxygen pressure can create a spark which could, in turn, create a 1-2 foot flame. Aluminium can burn at a pressure as low as 25 psi, whereas brass doesn't burn at pressures below 10,000 psi. Petroleum based products are not recommended for use with oxygen as they are also prone to cause explosion or fire.

Safe Practices:

- Designate the key to be used to open the oxygen cylinder and ensure that it is used for this purpose only.
- Always wash your hands before changing the oxygen cylinder.
- Purchase regulators and cylinder holders made of brass.
- Make sure the gasket is correctly in place on small cylinders.
- Have the cylinder and the holder inspected every year.



E-Cylinder Holder for Moduflex Optimax

N₂O : # 975-0150-550
Oxygen : # 975-0150-400

MODUFlex[™]

🇨🇦 MANUFACTURED BY DISPOMED



E-Cylinder Holder For Moduflex Coaxial and Elite

Product : # 975-0300-400

MODUFlex[™]

🇨🇦 MANUFACTURED BY DISPOMED



E-Cylinder Holder For Moduflex Compact and Access2

Product : # 975-0700-400

MODUFlex[™]

MRI Compatible (optional)

🇨🇦 MANUFACTURED BY DISPOMED

Compatible with C-D-E cylinders.



Moduflex Bain Circuit Adaptor

The Moduflex Bain circuit adaptor is definitely the number 1 accessory for anesthesia machines. Easy and efficient, it can be installed on all brands of anesthesia machines. Used in a number of veterinary hospitals and clinics, the Bain circuit adaptor can help increase the quality of your practice.

- Reduces breathing resistance
- Includes a momentary pop-off valve
- Includes a pressure gauge
- 5 year warranty
- Easy to install

Ideal for Small Animals

The Moduflex Bain circuit adaptor is mostly used with animals of 5 kg or less because of its lower breathing resistance. There are no check valves or carbon dioxide absorbent granules in the circuit to increase resistance. This makes it the ideal accessory for small patients and those with breathing difficulties.

Immediate Ventilation

A Moduflex Bain circuit adaptor on an veterinary anesthesia machine allows you to have more control during interventions. Since the breathing bag is always inflated, the patient can be ventilated immediately, contrary to using other open circuits (ex: Ayres t-piece, Jackson-Rees), where ventilation can only be done once the bag reaches a certain level of inflation.

The Moduflex Bain circuit adaptor contains a momentary pop-off valve which allows you to close the valve quickly by simply pushing down on the valve and holding it. You can then ventilate immediately. This feature of the Moduflex Bain circuit adaptor solves the problem of forgetting to reopen the valve. As with Jackson Rees and Ayres T Piece open circuits, the Moduflex Bain adaptor includes a pressure gauge which allows you to monitor the patient's breathing pressure.

Efficient Quick Fix

The Moduflex Bain circuit adaptor can replace the CO₂ absorber in case of breakage, thus eliminating down-time of the anesthesia machine. When using the Moduflex Bain circuit adaptor, the patient's temperature should be monitored closely as it can decrease more rapidly.



Specifications

- Integrated gas evacuation valve with a momentary push feature for a rapid transfer between spontaneous and controlled ventilation.
- Integrated gas evacuation exhaust port is built into the mounting bracket, eliminating the risk of obstruction in the tube.
- Integrated 0.5 cm H₂O check valve built into the adaptor to reduce the possibility of a faulty evacuation system drawing out into the patient's fresh gas supply.
- A pressure gauge offers excellent visibility of circuit pressure.

MODUFlex

Product: # 965-0500-000

Warranty : 5 years

MRI Compatible (optional)

MANUFACTURED BY DISPOMED



Moduflex Patient Circuit Alarm

Wouldn't it be nice to be able to concentrate on the surgery at hand and monitor your patient's status?

The Dispomed circuit alarm, added to your anesthesia machine, will alert you if the patient's pressure approaches a dangerous level.

- Easy installation
- Standard 9 volt battery
- Can be installed on any brand of anesthesia machine
- Factory pre-set at 15cm H₂O

Assisted Ventilation

When assisted ventilation is necessary, it is difficult to determine the airway pressure. Adding a circuit alarm to your anesthesia machine can reduce the risk of an elevated pressure. The alarm will alert you if the pressure approaches a dangerous level.

Evacuation Valve

If you happen to forget to re-open the evacuation valve after ventilating your patient, the circuit alarm will warn you at the approach of a dangerous level.

Adjustment

The circuit alarm is adjustable, allowing you to set the pressure at a level which is comfortable for you

Maintain

We recommend changing the 9 volt battery once a year so that the alarm is always ready for use.

Dispomed's circuit pressure alarms are preset to a pressure of

15cmh₂O. However, a small screw allows you to adjust the pressure if you wish to reset your warning level.



MODUFlex[™]

Product: # 987-0010-000

Warranty : 5 years

 **MANUFACTURED BY DISPOMED**



Circuit Alarm on Moduflex Compact wall-mount.

**Anesthesia Vaporizers – Aluminium**

- 150ml drug capacity
- Calibrated at 22 C, using a laser refractometer
- Available in Key-Fill (Pin-Fill) and Screw-Fill (Funnel-Fill), with either a Selectatec® or cage-mount fitting
- Manufactured in lightweight aluminium
- Manufactured in the UK

Isoflurane, Cage-mount, Funnel:

990-1091-3CFNEWA

Isoflurane, Cage-mount, Key-fill:

990-1091-3CINEWA

Isoflurane, Selectatec™, Key-fill:

990-1091-3SINEWA

Sevoflurane, Selectatec™, Key-fill:

990-1095-3SINEWA

Warranty: 2 years**NEW****Moduflex Neoprene Rebreathing Bag,****Antistatic and Reusable****0.5 liter:** # 940-0200-005**1 liter:** # 940-0200-010**2 liters:** # 940-0200-020**3 liters:** # 940-0200-030**4 liters:** # 940-0200-040**5 liters:** # 940-0200-050**6 liters:** # 940-0200-060**MODUFlex**🇨🇦 **MANUFACTURED BY DISPOMED****Neoprene Rebreathing Bag, Antistatic and Reusable****0.5 liter:** # 940-2107-050**1 liter:** # 940-2107-102**2 liters:** # 940-2107-202**3 liters:** # 940-2107-302**4 liters:** # 940-2107-402**5 liters:** # 940-2107-502**6 liters:** # 940-2107-602**Single Use Rebreathing Bag****0.5 liter:** # 940-321525**1 liter:** # 940-321625**2 liters:** # 940-321725**3 liters:** # 940-321825**Bain Circuit**

Bain circuit 60" (152cm) long.

Blue: # 940-2490-60B**Universal F Breathing Circuit**

Universal F 60" (152cm) long.

Product: # 940-12U6006🇨🇦 **MANUFACTURED BY DISPOMED****Coaxial Patient Circuit**

Coaxial 60" (152 cm) long.

Product: # 940-0200-200



Y Expandable Breathing Circuit

"Y" expandable 3.2' to 9.5' (100 to 290cm)

Product: # 940-454000



Y Patient Circuit

"Y" 48" (121.92 cm) long.

Product: # 940-3704-800



Pediatric Anesthesia Breathing Circuit

Pediatric circuit 60" (152cm) long.

Product: # 940-KS2600



Maintenance kit for all Moduflex anesthesia machines

Product: # 975-0900-900

Niveau de remplissage														Fill Level
Remplacé le / Changed date														
Hour/Day							Month							
15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
15	15	15	15	15	15	15	15	15	15	15	15	15	15	15
15	15	15	15	15	15	15	15	15	15	15	15	15	15	15

Marquer chaque 15 minutes d'utilisation pour un total de 14 heures.
Mark every 15 minutes of use for a total of 14 hours.

www.dispomed.com #805-0980-000

Sodalime Usage Indicator

You never know when it is time to replace the sodalime?

The sodalime usage indicator is a tool that will help during anesthesia procedures to let you know when it's time to change the sodalime.

Use the indicator to mark off each block of 15 minutes of anesthesia until the grid (14 hours) is completed. You will then be certain that the sodalime is always fresh and ready to absorb the CO₂ exhaled by the patient.

MIDU Flex

Pkg/10 : #805-0980-000

MANUFACTURED BY DISPOMED



Small Induction Chamber

The Small Induction Chamber is ideal for laboratory animals such as mice and rats.

Interior Dimensions :

- Length : 9.25" - 23.5 cm
- Width : 5" - 12.8 cm
- Height : 5.5" - 14 cm.

- Manufactured by Dispomed from 1/2" Medical grade plexiglass for added strength.
- 19 mm evacuation outlet.
- Quick-connect fresh gas inlet.
- Airtight cover.
- Seal system includes a silicone gasket in a groove imbedded into the cover.

MIDU Flex

Product: # 904-1040-000

Warranty : 1 year

MANUFACTURED BY DISPOMED



Large Induction Chamber

You must perform an intervention on a panicking kitten? The induction chamber is a very useful piece of equipment that allows you to anesthetize small animals quickly.

Interior Dimensions :

- Length : 15.5" - 39.5 cm
- Width : 7.5" - 19 cm
- Height : 10.5" - 26.8 cm
- Designed for rats, small rabbits and small cats.
- 19 mm evacuation outlet.
- Quick-connect fresh gas inlet.
- Airtight cover.

MODUFlex[™]

Product: # 904-1045-000

Warranty : 1 year

 **MANUFACTURED BY DISPOMED**



Veterinary Anesthesia Masks

Dispomed offers 5 sizes of anesthesia masks for companion animals and one for rodents. Companion animal masks include 15 & 22 mm fittings and straps. The anesthesia masks can be sold separately or in kits.

The kit of anesthesia masks includes:

- 1 small feline (size 0).
- 1 medium feline (size 1).
- 1 large feline (size 2).
- 1 small canine (size 3).
- 1 large canine (size 5).

Diaphragm diameters:

- Small Feline : int = 2.1cm (0.78") ext = 4.7cm (1.85")
- Medium Feline : int = 3.2cm (1.26") ext = 5.5cm (2.17")
- Large Feline : int = 4.2cm (1.65") ext = 6.0cm (2.36")
- Small Canine : int = 2.8cm (1.10") ext = 8.8cm (3.46")
- Large Canine : int = 5.0cm (1.97") ext = 13.2cm (5.2")

Diaphragm diameters:

- Ext = 38 mm (1.5")

MODUFlex[™]

kit of anesthesia masks:
968-0070-000

Small Feline : # 968-0010-000

Medium Feline : # 968-0020-000

Large Feline : # 968-0030-000

Small Canine : # 968-0040-000

Large Canine : # 968-0050-000

Rodent : # 904-1050-000



Moduflex Soda Lime Canister

Included: Flat and snap ring.

MODUFlex[™]

Product: # 980-0300-075



Passive Scavenger Interface for Fan or Blower Assemblies

This revolution in evacuation systems will give you peace of mind. There is less maintenance to do on this new interface. Plus, the housing replaces the reservoir bag so you don't need to change your evacuation bags anymore.

Our gas evacuation interfaces are able to adapt to large variations in air flow, avoiding depletion of the breathing bag or increased resistance.

- No evacuation bag
- Less maintenance
- Fits on ALL models of veterinary anesthesia machines
- No replacement accessory needed
- Automatic regulation of vacuum

MIDUFlex™

Product : 985-0035-000

Warranty : 5 years

🇨🇦 **MANUFACTURED BY DISPOMED**



Active Scavenger Interface for Central Vacuum System

This revolution in evacuation systems will give you peace of mind. There is less maintenance to do on this new interface. Plus, the housing replaces the reservoir bag so you don't need to change your evacuation bags anymore.

Our gas evacuation interfaces are able to adapt to large variation in air flow, avoiding depletion of the breathing bag or increased resistance.

- No evacuation bag
- Less maintenance
- Fits on ALL models of veterinary anesthesia machines
- No replacement accessory needed

MIDUFlex™

Product : 985-0037-000

Warranty : 5 years

🇨🇦 **MANUFACTURED BY DISPOMED**



Gas Evacuation Ventilator

A gas evacuation blower assembly is a semi-active system that allows for the halogenated gases/nitrous-oxide used during anesthesia to be evacuated, thus avoiding air pollution in the operating rooms. Together with the scavenger interface, the blower assembly is connected to a network of pipes connecting each room with an anesthesia machine. The ventilator evacuates continuously while the scavenger interface controls the air flow level of each anesthesia machine.

- Can be used with up to 8 anesthesia machines.
- Is designed to work with one passive scavenger interface per anesthesia machine.
- Can be installed on the wall, ceiling or in the attic.

MIDUFlex™

Product : 985-0080-000

Warranty : 1 year

🇨🇦 **MANUFACTURED BY DISPOMED**



Gas Evacuation Tubing

Product : # 985-0065-000



Gas Evacuation Outlet

Product : # 985-0021-000

🇨🇦 *MANUFACTURED BY DISPOMED*



Charcoal Filter

Product : # 985-1005-000



19mm x 19mm Gas Evacuation Coupling

Product : # 985-0060-040

🇨🇦 *MANUFACTURED BY DISPOMED*



Bain Tube Evacuation Fitting

Product : # 985-0025-180

🇨🇦 *MANUFACTURED BY DISPOMED*



CO₂ Gas Evacuation Fitting

Product : # 985-0025-170

🇨🇦 *MANUFACTURED BY DISPOMED*



Gas Evacuation Hose Quick-Connect Coupling Male

Product : # 985-0060-020



Gas Evacuation Hose Quick-Connect Coupling Female

Product : # 985-0060-010



19mm to 22mm Male to Female Coupling

Product : # 985-1005-010



Vet-Tables Scissors Table

You need your table to be **customized to your needs**, and for this reason Dispomed can propose customized options on anything from the base to the top and anything in between. Proudly made in Canada by Dispomed. 5-years warranty.



1. Table Bases Options

Mobile Base



Fixed Base



2. Table Top Options

Exam top



Surgey top



"V" top



Dental top



3. More Options

Once you have decided which base and top you want, there are still a couple of options you can add to your customized table.

Tilt top




Heated top



Table top length

Depending on the options previously selected, the tray Top is available in lengths of 4'(1.21m) or 5' (1.52m).

4. Colors option





Vet-Tables Scissors Table MANUFACTURED BY DISPOMED

All tray tops are made of 304 grade stainless steel.

Available with optional water heated top.

Full aluminium machined structure for a greater robustness.

Slide cleaners prevent the accumulation of hair in the lifting rails.

The mobile parts of the table are on bearings.

Minimum height 11" (27.9 cm).
Maximum height 40" (101.6 cm).

Rapid rail tie down system lets you safely position animals.

Lift capacity 300 lbs (136 Kg).

The silent motor stops automatically when the maximum height is reached.

5 YEAR
WARRANTY



4' (1.21m) Exam Top with wheels: # 285-0210-4EXX



5' (1.52m) Surgery Top, tilt, with wheels: # 285-0210-5SXT



5' (1.52m) "V" Top, tilt, with wheels: # 285-0210-5VXT



5' (1.52m) Dental Top, tilt, with wheels: # 285-0210-5DXT
Additional option available, ask for the Dental flat top.



Standard Dental top



Flat top Dental option

Customize your Scissor table

Bases options: Mobile (with wheels) or Fixed (without wheels).

Table Top options: Exam, Surgery, "V" ou Dental.

More Top options available: Heated and/or Tilt

Top lengths available: 4' (1.21m) ou 5' (1.52m).

Available in 10 different colors.

Contact us to see all available configurations.



Vet-Tables Electric Table

The Vet-Tables electric column table has a large possibility of configurations. This table is manufactured in Canada and designed exclusively for veterinary use. The electric column table offers stability with a minimum footprint.



Warranty: 5 years

MANUFACTURED BY DISPOMED

All tray tops are made of 304 grade stainless steel with thickness of 16 gauge.

Available with optional water heated top.

Electric components are water resistant.



Minimum height 31.25" (78.74 cm)
Maximum height 49" (124.46 cm)

Rapid rail tie down system lets you safely position animals.

Manual tilt.

The silent motor stops automatically when the maximum height is reached.

5 YEAR
WARRANTY

5' (1.52m) Surgery Top, tilt: # 285-0400-5SXT



5' (1.52m) "V" Top, tilt: # 285-0400-5VXT



5' (1.52m) Dental Top, tilt: # 285-0400-5DXT
Additional option available, ask for the Dental flat top.



Customize your Electric column table

Table Top options: Exam, Surgery, "V" ou Dental.

More Top options available: Heated and/or Tilt

Top lengths available: 4' (1.21m) ou 5' (1.52m).

Contact us to see all available configurations.



Vet-Tables I.V. Pole

Stainless steel IV pole kit to be mounted on a Vet-Tables.



Product: # 285-0200-225

Tubular Base Exam Table

One piece, welded, tubular base with adjustable legs, type 304 stainless-steel construction.

MANUFACTURED BY DISPOMED

Table top dimensions

- 22"W x 48"L x 35.5"H
(55.8cm x 121.92cm x 90.17cm)

Or

- 22"W x 60"L x 35.5"H
(55.8cm x 152.4cm x 90.17cm)

5YEAR
WARRANTY



48"/ without wheels:

285-0548-000

48"/ with wheels:

285-0545-000

60"/ without wheels:

285-0560-000

60"/ with wheels:

285-0565-000

Available with or without wheels

Mobile Exam and Surgery Table

One piece, welded, tubular base with adjustable legs, type 304 stainless-steel construction.

MANUFACTURED BY DISPOMED

Available with or without anesthesia machine.



5YEAR
WARRANTY

2 shelves.



Anesthesia Stretcher: # 285-0010-000

With anesthesia machine:

285-0020-000

Liquid drain & pail hook.

4" locking castors.



NEW QUATTRO^{plus}



With compressor:
260-HAY4-MPLX

Warranty: 5 years

HIGHTENT QUATTRO^{plus} Veterinary Dental Unit

The Quattro Plus is the most complete veterinary dental system with ergonomic features. When designing this unit, the primary goal was to help the veterinarian perform his work quicker, easier and without fatigue. The veterinarian can adjust the angle of the handpiece console to his/her preferences. The large shelf offers space to put the different tools needed for the procedure in one place. The rounded edge of the shelf prevent your instruments from falling off.

MANUFACTURED BY DISPOMED

Low Speed Handpieces (optional)

- Autoclavable.

Air/Water Syringe

- Lightweight, compact contoured head.
- Quick connect-disconnect tip.
- Uses standard autoclavable tips.
- 360° tip rotation.
- Precise control of air, water and mist.

Ergonomics

- Simple and easy adjustment of the handpiece console to the desired angle.

Suction

- Detachable suction hose for easier cleaning.
- Stronger suction.
- More flexible hose for ease of use.
- Foot activation.

Muffler

- Hightent dental machines include a muffler to reduce noise from the handpieces.


Compressor

- The quietest on the market.
- Very easy access drain valves.
- The fastest oil change in the industry.

Foot Control

- Control the handpieces and suction.
- Protective guard.

Optional Colours



High Speed Handpiece (optional)

- Autoclavable.

Shelf

- More space for your instruments.
- No joint, seals or visible screws, for easier cleaning.
- Rounded edge to prevent your instruments from falling.
- 12"x17"x34" (30,5x43,5x86,3 cm)

Piezo Scaler

- Totally autoclavable and easy to dismantle.
- LED Piezo available in option.

Adjustable height

- From 31" to 41" (78.7 cm to 104.14 cm).

Automatic selection of handpieces

- No waste of time selecting the handpiece.
- No need to select a handpiece.

Panel Control

- Pressure gauge.
- Water on/off.
- Water bottle selection.
- High speed handpiece water adjustment.
- Piezo handpiece water adjustment.
- Piezo intensity adjustment.



Wall-mount unit with compressor: # 260-HAY4-WPLX

5 YEAR WARRANTY



NEW



HIGHDENT TRIO plus Veterinary Dental Unit

With compressor: # 260-HAY3-MPLX

Warranty: 5 years

The Trio Plus is the unit that will fit the majority of veterinary clinics. When designing this unit, our primary goal was to help the veterinarian perform his work more quickly and easily, and without fatigue. The veterinarian can adjust the angle of the handpiece console to his/her preferences. This feature allows you to place the handpieces at the perfect angle to create the smoothest body movement.

MANUFACTURED BY DISPOMED

Low Speed Handpieces

(optional)
• Autoclavable.

Air/Water Syringe

- Lightweight, compact contoured head.
- Quick connect-disconnect tip.
- Uses standard autoclavable tips.
- 360° tip rotation.
- Precise control of air, water and mist.

Ergonomics

- Simple and easy adjustment of the handpiece console to the desired angle.

Compressor

- The quietest on the market.
- Very easy access drain valves.
- The fastest oil change in the industry.

Muffler

- Highdent dental machines include a muffler to reduce noise from the handpieces.

Foot Control

- Protective guard.

Optional Colours



High Speed Handpiece (optional)

- Autoclavable.

Shelf

- More space for your instruments.
- No joint, seals or visible screws, for easier cleaning.
- Rounded edge to prevent your instruments from falling.
- 12"x17"x34" (30,5x43,5x86,3 cm)

Piezo Scaler

- Totally autoclavable and easy to dismantle.
- LED Piezo available in option.

Adjustable height

- From 31" to 41" (78.7 cm to 104.14 cm).

Automatic selection of handpieces

- No waste of time selecting the handpiece.
- No need to select a handpiece.

Panel Control

- Pressure gauge.
- Water on/off.
- Water bottle selection.
- High speed handpiece water adjustment.
- Piezo handpiece water adjustment.
- Piezo intensity adjustment.



Wall-mount unit with compressor: # 260-HAY3-WPLX

5 YEAR WARRANTY



HIGHDENT Intro Veterinary Dental Unit

The Intro dental unit is our most compact model. Its convenient top allows you to place burs, paste, instruments and any other equipment you need during dentistry procedures.

The handpieces are recessed in the unit's head which reduces the risk of injury and of handpiece breakage. The manual selection of the handpiece is easy to work with when choosing from the Piezo, the high speed or the low speed handpiece. The head is made of aluminum so you will never find rust on it!



With compressor: # 260-0500-MOC

Warranty: 5 years

 **MANUFACTURED BY DISPOMED**

High Speed Handpiece (optional)

- Autoclavable.
- Specifications and models

Air/Water Syringe

- Lightweight, compact contoured head.
- Quick connect-disconnect tip.
- Uses standard autoclavable tips.
- 360° tip rotation.
- Precise control of air, water and mist.

Adjustable height

- From 31" to 40.5" (79 cm to 101 cm).

Muffler

- Highdent dental machines include a muffler to reduce noise from the handpieces.

2" (5.08cm) castors with brakes.

Optional Colours



Low Speed Handpieces (optional)

- Autoclavable.

Piezo Scaler

- Totally autoclavable and easy to dismantle.

Compressor

- Quiet compressor means less noise pollution.



Wall-mount unit with compressor: # 260-0500-MUC

5 YEAR
WARRANTY



NEW

HIGHDENT dental led high speed turbine handpieces


We are proud to unveil our latest dentistry project. Highdent now offers high speed handpieces. These handpieces are guaranteed for 12 months and offer excellent quality for a large number of procedures. Our Highdent Fibre Optic high speed handpiece is the perfect combination of quality with the Kavo connection combined with the precision of the LED light. The ceramic bearings offer a smooth and stable procedure.



LED high speed handpiece:
260-0600-HE21KL

6-hole quick connector with LED turbine: # 260-0600-QC6016K

Warranty: 1 year





NEW



HIGH DENT dental high speed turbine handpieces

We are proud to unveil our latest dentistry project. Highdent now offers high speed handpieces. These handpieces are guaranteed for 12 months and offer excellent quality for a large number of procedures. The Highdent standard high speed handpiece is lightweight to facilitate complex procedures. The delicate and smooth grip ensures a stable grip without any pressure on the wrist.


High speed handpiece:

260-0600-HE21K

4-hole quick connector turbine:

260-0600-QC4014K

Warranty: 1 year



**Acteon Satelec Piezo Scaler Handpiece****Product:** 260-F12281**Acteon Satetec No.1 Universal Scaling Tip**

Recommended for treating simple cases and gross supra-gingival scaling.

Product: # 260-0100-246**Acteon Satetec No.2 Voluminus Calculus Scaling Tip**

Recommended for removing voluminous supra-gingival deposits.

Product : # 260-0100-247**Acteon Satetec No.10P Shallow Pockets Scaling Tip**

Fine tip designed for scaling shallow pockets.

Product : # 260-0100-250**Acteon Satelec No.10Z Sub-gingival Tip**

Recommended for scaling medium pockets. Removal of biofilm and soft deposits, while evaluating the depth of the pockets using the marks every 3mm.

Product : # 260-0100-251**Superior Low Speed Handpiece**

- Superior quality handpiece
- 25 000 rpm air motor
- 4:1 Contra angle
- Snap-on sealed 12-tooth Prophyl head
- 4 hole coupler
- Autoclavable

Product: # 260-0600-1600001

Warranty:
1 year on the air motor
6 months on the contra-angle
No warranty on prophyl head.

**4: 1 Contra Angle****Product:** # 260-1600202**Warranty:** 6 months**25 000 RPM Air Motor**

- 25 000 RPM low speed motor.
- Variable speed to a maximum of 25 000 RPM with forward and reverse direction control.

Product: # 260-1600101**Warranty:** 1 year

**4: 1 Straight Nose Cone****Product:** # 260-1600303**1: 1 Straight Nose Cone****Product:** # 260-1600301**U-Type Snap-On Prophecy Head****Product:** # 260-1300103**Snap-On Prophecy Head 12 Teeth****Product:** # 260-1600401**Standard LED High Speed Handpiece**

- Hygiene-conscious body design
- Standard push button head
- Low noise
- Maximum speed 450 000 RPM
- Autoclavable at 135°C max
- 4 holes coupler
- Economical
- Made in Japan
- NSK handpieces
- 6 month warranty

Product: # 260-0600-T114
Warranty: 6 months**Superior High Speed Handpiece**

- Hygiene-conscious body design
- Wrench chunk
- Low noise
- Maximum speed 450 000 RPM
- Autoclavable at 135°C max
- 4 hole coupler
- LED
- Economical
- Made in Japan

Product: # 260-0600-2000006
Warranty: 1 year**Protective Nylon Cover For HIGHTENT Dental Units****Intro:** # 260-0500-100
Trio - Quattro: # 260-0400-100
Warranty: 5 years🇨🇦 **MANUFACTURED BY DISPOMED****Handpiece Oil 10.5 oz.**

Specially Formulated Lubricant for Handpieces and Air Motors

Products: # 260-501-3636UO**Accessories****Prophy Paste (200 per box):**
260-5013-345UO**Prophy Cups:** # 260-PCUP-100



HP Bur Set

All burs are 44.5 mm and are used in Low speed 1:1 handpieces and straight nose cone. Suited for larger and exotic animals. To avoid overheating water should be used.

Round burs – To be used for caries excavation, cavity preparation, root canal access and osseous surgery.

- 260-H111023 x 2 Round, size 8, 44.5 mm
- 260-H111012 x 2 Round, size 3, 44.5 mm

Cross-cut taper fissure burs. Ideal for sectioning multi-rooted teeth and reducing crown height.

- 260-H3111557 x 2 Flat-End Cross-Cut Fissure, # 557, 44.5 mm
- 260-H3311021 x 2 Flat-End Cross-Cut Fissure, # 703L, 44.5 mm

Inverted cone – With a slightly rounded edge on blade corners, which produces a smoother and superior cut. Generally used for entering carious pits, producing an undercut in cavity preparations with a flat floor.

- 260-H211018 x 1 Inverted Cone, # 39, 44.5 mm
- 260-H79G11050 x 1 Coarse Standard Cutter with Spiral Blade Toothing, 44.5 mm

Product: # 260-BURKIT01



Canine Bur Set

All burs are 19 mm and used in high speed handpieces. Suited for treatments on dogs.

Round burs
To be used for caries excavation, cavity preparation, root canal access and osseous surgery.

- 260-H131014 x 2 Round, size 4, 19 mm
- 260-H131018 x 2 Round, size 6, 19 mm

Cross-cut taper fissure burs
Ideal for sectioning multi-rooted teeth and reducing crown height.

- 260-H33L31012 x 1 Flat-End Cross-Cut Fissure, # 701L, 19 mm
- 260-H33L31016 x 2 Flat-End Cross-Cut Fissure, # 702L, 19 mm

Round-End Fissure. For sectioning teeth and removing broken roots in gingiva.

- 260-H21R31012 x 1 Round-End Fissure, # 1158, 19 mm

Inverted cone – With a slightly rounded edge on blade corners, which produces a smoother and superior cut. Generally used for entering carious pits, producing an undercut in cavity preparations with a flat floor.

- 260-H231010 x 1 Inverted cone, # 35, 19 mm
- 260-886231012 x 1 Flame Shape short, diamond (fine grit), size 5, 19 mm

Product: # 260-BURKIT02



Feline Bur Set

The lengths in this set vary from 16 to 19 mm to cover the general use in the treatment of cats and small dogs.

Round burs. To be used for caries excavation, cavity preparation, root canal access and osseous surgery.

- 260-H133005 x 1 Round, size 1/4, 16 mm
- 260-H133014 x 2 Round, size 4, 16 mm
- 260-H133023 x 1 Round, size 8, 16 mm

Cross-cut taper fissure burs – Ideal for sectioning multi-rooted teeth and reducing crown height.

- 260-H3333012 x 2 Flat End Taper Cross-Cut Fissure, # 701, 16 mm
- 260-H33L31012 x 1 Flat-End Cross-Cut Fissure, # 701L, 19 mm

Round-End Fissure – For sectioning teeth and removing broken roots in gingiva.

- 260-H33R31016 x 1 Round End Taper Cross-Cut Fissure, # 1702, 19 mm

Inverted cone – With a slightly rounded edge on blade corners, which produces a smoother and superior cut. Generally used for entering carious pits, producing an undercut in cavity preparations with a flat floor.

- 260-H233006 x 1 Inverted cone, # 33½, 16 mm
- 260-36831016 x 1 Flame Shape short, diamond (fine grit), size 5, 19 mm

Product: # 260-BURKIT03

**Bur Holder For Canine/Feline Burs**

12 holes, excl. burs

Product: # 260-2060104**Bur Holder For HP Burs**

12 holes, excl. burs

Products: # 260-2060103**Highdent Quattro Suction Tip****Product:** # 260-1014856**Highdent Quattro Suction Curved Tip****Product:** # 260-33632**Air / Water Syringe**

- Lightweight, compact contoured head.
- Quick connect-disconnect tip.
- Uses standard autoclavable tips.
- 360° tip rotation.
- Precise control of air, water and mist.
- Includes 2 autoclavable tips.

Product: # 260-0200-110**Round Burs**

To be used for caries excavation, cavity preparation, root canal access and osseous surgery.

Friction Grip	Head Size	#	Description
	.	260-H13110	FG, No.2, 19 mm
	.	260-H131012	FG, No.3, 19 mm
	.	260-H131014	FG, No.4, 19 mm
	.	260-H131018	FG, No.6, 19 mm
	.	260-H131023	FG, No.8, 19 mm
	.	260-H133005	FG/SS, No.1/4, 16 mm
	.	260-H133006	FG/SS, No.1/2, 16 mm
	.	260-H133008	FG/SS, No.1, 16 mm
	.	260-H133014	Round, No.4, 16 mm
	.	260-H133018	Round, No.6, 16 mm
	.	260-H133023	Round, No.8, 16 mm

Right-Angle Latch	Head Size	#	Description
	.	260-H21014	RA, No.4, 22 mm



Inverted Cone

A slightly rounded edge on blade corners produces a smoother and superior cut. Generally used for entering carious pits, producing an undercut in cavity preparations with a flat floor.

Friction Grip	Head Size	#	Description
	•	260-H231010	FG, No.35 , 19 mm
	•	260-H233006	FG/SS, No.33 ½, 16 mm

Straight Handpiece	Head Size	#	Description
	●	260-H211018	HP, No.39, 44.5 mm

Flat-End Cross-Cut Fissure

Straight Handpiece	Head Size	#	Description
	•	260-H3111557	HP, No.557, 44.5 mm

Round-End Fissure

Friction Grip	Head Size	#	Description
	•	260-H21R31012	FG, No.1158, 19 mm

Flat-End Taper Fissure

Ideal for sectioning multi-rooted teeth and reducing crown height.

Friction Grip	Head Size	#	Description
	•	260-H2331012	FG, No.171, 19mm

**Long Round-End Taper Fissure**

Friction Grip	Head Size	#	Description
	•	260-H23LR31012	FG, No.1171L, 19 mm

Flat-End Taper Cross-Cut Fissure

Friction Grip	Head Size	#	Description
	•	260-H3331009	FG, No.699, 19 mm
	•	260-H3331010	FG, No.700, 19 mm
	•	260-H3331012	FG, No.701, 19 mm
	•	260-H3331016	FG, No.702, 19 mm
	•	260-H3331021	FG, No.703, 19 mm
	•	260-H3333012	FG/SS, No.701, 19 mm

Right-Angle Latch	Head Size	#	Description
	•	260-H3321012	RA, No.701, 22 mm
	•	260-H3321016	RA, No.702, 22 mm

Straight Handpiece	Head Size	#	Description
	•	260-H3311021	HP, No.703, 44.5 mm

**Long Flat-End Taper Cross-Cut Fissure**

Friction Grip	Head Size	#	Description
	•	260-H33L31012	FG, No.701L, 19 mm
	•	260-H33L31016	FG, No.702L, 19 mm
	•	260-H33L30012	FG/Surg, No.701L, 30 mm
	•	260-H33L36010	FG/Surg, No.700XL, 30 mm

Flame Shape Burs

Burs	#	Description
	260-36831016	Flame Shape short, diamond (fine grit), No.5, 19 mm
	260-886231012	Flame Shape short, diamond (fine grit), size 5, 19 mm
	260-H79G11050	Surgical length coarse cutter with spiral 2.35mm x 44.5 mm

Double-Sided Diamond Discs

	Head Size	#	Description
		260-918B11220	HP, 44.5 mm



Kennel Doors


The **Tobyguard kennel doors** are hand-welded and polished with the best stainless steel quality that reflects the 5 year warranty of our product. The **customized sizes** are perfect for new clinics and for renovations with restricted dimensions. Whether it is for a small or a big project, the **Tobyguard kennel doors will offer you quality that will last a lifetime!**

Custom door sizes from 71 x 182 cm to 91 x 182 cm (28" x 72" - 36" x 72").
Contact us to see the complete listing of models offered!



Warranty: 5 years

 **MANUFACTURED BY DISPOMED**





DISPOMÉ

745 Nazaire-Laurin, Joliette (Qc) Canada J6E 0L6

☎ 1 (450) 759-9395

📞 1 (450) 759-8181

✉ info@dispomed.com

💻 www.dispomed.com